Appln No. 09/775,315 Amdt date April 15, 2005 Reply to Office action of October 15, 2004

REMARKS/ARGUMENTS

In the Final Rejection dated October 15, 2004, the examiner rejected claim 10 under 35 U.S.C. § 103(a) as allegedly obvious over U.S. Patent No. 5,783,333 to Mayer. However, applicants have amended claim 10 to recite the substantial evaporation of the binder during heat-treatment. Mayer fails to teach or Rather, Mayer discloses a binder suggest such a feature. provided in a solvent. The oxides in Mayer are mixed with the binder solution to form a slurry. The solvent is evaporated, and the resulting mixture is then heated to the melting point of the binder, and then allowed to cool. (Column 12, line 57 to Column 13, line 2). In contrast, amended claim 10 discloses the substantial evaporation of the binder during heat treating of the mixture of oxides. Because Mayer discloses only the evaporation of the solvent in which the binder is the substantial and fails to teach or suggest provided, evaporation of the binder itself, amended claim 10 is allowable over Mayer.

The examiner also rejected claims 1-4 under 35 U.S.C. § 103(a) as allegedly unpatentable over U.S. Patent No. 5,429,890 to Pynenburg, et al. in view of U.S. Patent No. 5,370,948 to Hasegawa, et al. In so rejecting, the examiner notes that absent unexpected results, the excess of lithium manganese oxides recited in independent claim 1, is an "optimizable parameter[] for [a] result-effective variable[]." (Office action, page 3). However, applicants note that the excess of lithium manganese oxides recited in claim 1, does provide unexpected results, as described in the specification. For

Appln No. 09/775,315 Amdt date April 15, 2005 Reply to Office action of October 15, 2004

the specification beginning at page 5, example, describes the different properties of nickel manganese based oxides and manganese based oxides. In fact, the two oxides are described as having the opposite properties. Specifically, the nickel-manganese-based oxides exhibit high capacity but inferior discharge characteristics and thermal stability, charge and while the manganese based oxides exhibit good charge discharge capacity and thermal stability, but low capacity. The synergistic effect of the combination of oxides also described.

Moreover, the specification beginning at page 6, line 5, and at page 12, line 11, describes the ratio of components as being important in maximizing the synergistic effect of the combination of nickel-manganese-based oxides and manganese-based oxides. Because the excess of lithium manganese oxides, as recited in claim 1, provide unexpected results, as described above, independent claim 1, and all claims dependent therefrom, including claims 2-4, are allowable over Pynenburg in view of Hasegawa.

Claims 1-4 and 10 remain pending in this application. Applicants have amended claim 10. Applicants submit that all of pending claims 1-4 and 10, as amended are in condition for allowance. Applicants therefore request a timely indication of

Appln No. 09/775,315 Amdt date April 15, 2005 Reply to Office action of October 15, 2004

allowance. However, if there are any remaining issues, the examiner is asked to contact applicants' counsel at the number below.

Applicant would like to note that the three month extension fee was paid on March 30, 2005, which extends the response due date to April 15, 2005.

Respectfully submitted,
CHRISTIE, PARKER & HALE, LLP

David A. Plumley

Reg. No. 37,208

626/795-9900

LES/ldb LDB PAS618421.1-*-04/15/05 2:01 PM